

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

"high-level brain" "low-level brain" neural modeling

**Search**

[Advanced Search](#)  
[Preferences](#)



Web

Results 1 - 10 of 10 for "[high-level brain](#)" "[low-level brain](#)" [neural modeling](#). (0.56 seconds)

1. [Contribution of Exploratory Methods to the Investigation of ...](#)

While Bressler and Tognoli [17] mostly consider "**high-level brain** functions of which ... e.g., Section 4 for a description of some **low-level brain** functions, ..... A **neural mass model** for MEG/EEG: coupling and neuronal dynamics. ...

[www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2386147](http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2386147) - [Similar pages](#)

by V Perlbarg - 2008 - [Related articles](#) - [All 4 versions](#)

2. [Contribution of Exploratory Methods to the Investigation of ...](#)

While Bressler and Tognoli [17] mostly consider "**high-level brain** functions of ... e.g., Section 4 for a description of some **low-level brain** functions, ..... O. David and K. J. Friston, "A **neural mass model** for MEG/EEG: coupling and ...

[www.hindawi.com/GetArticle.aspx?doi=10.1155/2008/218519&e=html](http://www.hindawi.com/GetArticle.aspx?doi=10.1155/2008/218519&e=html) - 273k

- [Cached](#) - [Similar pages](#)

3. [Biophysics? Computational Neuroscience? M-Theory? Text - Physics ...](#)

17 posts

artificial method of using **neural networks** (ANNs) as oppose to BNNs(biological) to study **low level brain** function - the above for **high level brain** function. .... QUANTUM PHYSICS IN NEUROSCIENCE AND PSYCHOLOGY: A NEUROPHYSICAL MODEL OF ...

[www.physicsforums.com/archive/index.php/t-177714.html](http://www.physicsforums.com/archive/index.php/t-177714.html) - 21k

- [Cached](#) - [Similar pages](#)

4. [\[PDF\] The Artificial Being Project](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

we **model** the brain into computers? Even before this question another question ... The inclusion of **Neural Networks** or some method relating to it should be avoided ..... **Low Level Brain. High Level Brain.** Self analyzer or. consciousness ...

[www.paraschopra.com/projects/ai-being/ai-being.pdf](http://www.paraschopra.com/projects/ai-being/ai-being.pdf) - [Similar pages](#)

5. [Attention and awareness in stage magic: turning tricks into ...](#)

Jul 30, 2008 ... The **neural** response that is generated by turning off a stimulus is called .... (increase or decrease) **neural** activity in **low-level brain** areas through feedback pathways from **high-level brain** areas that are ..... Lanyon, L. J. & Denham, S. L. A biased competition computational **model** of spatial and ...

[www.nature.com/nrn/journal/vaop/ncurrent/full/nrn2473.html](http://www.nature.com/nrn/journal/vaop/ncurrent/full/nrn2473.html) - [Similar pages](#)

by St. Macknik - 2008 - [Cited by 1](#)

## 6. Attention and awareness in stage magic: turning tricks into ...

On a **neural** level, both turning on and turning off a stimulus generate .... in **low-level brain** areas through feedback pathways from **high-level brain** areas ..... Lanyon, L. J. & Denham, S. L. A biased competition computational model of ...  
[www.nature.com/nrn/journal/v9/n11/full/nrn2473.html](http://www.nature.com/nrn/journal/v9/n11/full/nrn2473.html) - [Similar pages](#)  
by SL Macknik - 2008 - [Cited by 1](#)  
[More results from www.nature.com »](#)

## 7. [PDF] Contribution of Exploratory Methods to the Investigation of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
mostly considers "**high-level brain** functions of which cognition is ... of some **low-level brain** functions, such as vision and audition processing). ..... and Friston, 2003; David et al., 2004] and large-scale **neural models** [Tagamets and ...  
[mts.hindawi.com/utils/GetFile.aspx?msid=218519&vnum=2&ftype=manuscript](http://mts.hindawi.com/utils/GetFile.aspx?msid=218519&vnum=2&ftype=manuscript)  
- [Similar pages](#)

## 8. AI Development

Reducing AGI complexity: copy only **high level brain** design ... So, if **low level brain** design is incredibly complex - how do we copy it? ..... (3) Attractor **neural network** theory and computational **modeling**. With a background in one of ...  
[www.dennisgorelik.com/ai/blog.htm](http://www.dennisgorelik.com/ai/blog.htm) - 128k - [Cached](#) - [Similar pages](#)

## 9. Audio-Visual Affect Recognition

the **low-level brain** processing. Recently, there has been an increasing number of studies to ex- ... the Feeltrace tool [18] to label the data and use a **neural network** ... These states could require **high-level brain** pro- ... This face tracker uses a 3-D facial mesh **model** which is embedded ...  
[ieeexplore.ieee.org/iel5/6046/21595/101109TMM2006886310.pdf](http://ieeexplore.ieee.org/iel5/6046/21595/101109TMM2006886310.pdf) - [Similar pages](#)

## 10. [PDF] P P s s y y c c h h o o n n o o o o m m - [ Translate this page ]

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
forward **model** does not fit with the brain. architecture. ... high-level and **low- level brain** modules. linked by re-entrant pathways. The feedback from **high-level brain**. processes modulates the connectivity in ..... "The **neural** basis of perceptual bi-stability: evidence from ambiguous motion displays" ...  
[nvp.nici.kun.nl/psychonoom/Psychonoom-21e-2006-1.pdf](http://nvp.nici.kun.nl/psychonoom/Psychonoom-21e-2006-1.pdf) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed. If you like, you can [repeat the search with the omitted results included](#).*

---

"high-level brain" "low-level brain" neural modeling

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)